

# PowerLite 975W WXGA 3LCD Projector

Contact Us 800.463.7766

Mon-Fri 6am-8pm, Sat 7am-4pm PT



## WXGA classroom projector with up to a 10,000-hour lamp life in Bright Mode\*

Bring brilliant widescreen images to your classroom with the PowerLite 975W projector. Offering 3x Higher Color Brightness\*\* than competitive models, Epson® 3LCD projectors ensure vivid images. Featuring 3,600 lumens of color brightness and 3,600 lumens of white brightness<sup>1</sup>, plus WXGA resolution, the 975W shines, even in well-lit rooms. Its ultra long-life lamp — up to 10,000 hours in Bright Mode\* — means reduced maintenance and downtime. And, it offers enterprise-level security via the included wireless module. Teachers can wirelessly share content simultaneously from multiple devices, including Chromebooks, iOS® and Android® devices<sup>2</sup> — up to four with Moderator software<sup>3</sup>. Plus, Miracast® offers wireless HD screen mirroring.

Projection System: 3LCD, 3-chip technology

Native Resolution: 1280 x 800 (WXGA)

Color Brightness: 3600 lumens<sup>1</sup>


White Brightness: 3600 lumens<sup>1</sup>

[THROW DISTANCE AND DISPLAY SIZE CALCULATORS](#) ▶

Model: V11H835020

OUR PRICE :

**\$1,299.00**

 [Education Pricing](#)

★★★★★ [Write a review](#)

Overview 

### Bright and Colorful

Features 3600 lumens of color brightness (color light output)<sup>1</sup> and 3600 lumens of white brightness (white light output)<sup>1</sup>.

### Wireless Ready

Includes a high-speed LAN module for wireless connectivity

### HDMI / MHL Connectivity

Stream 1080p content and mirror your mobile device with MHL & the latest in connectivity. Get instant access to movies, games and more from MHL-enabled devices.

### Auto Screen Fit

Easily and quickly adjust the image to fit the screen.

### WXGA Resolution

1280 x 800 HD widescreen resolution

- 3x Higher Color Brightness<sup>\*\*</sup>, and reliable performance — 3LCD, 3-chip technology
- Look for two numbers —  
3,600 lumens<sup>1</sup> Color Brightness for more accurate, vivid color  
3,600 lumens<sup>1</sup> White Brightness for well-lit rooms
- Amazing, widescreen images native WXGA resolution (1280 x 800) and 16:10 format
- Ultra long-life lamp Epson's first classroom projector offering up to a 10,000-hour lamp life in Bright Mode<sup>\*</sup>
- Ultimate wireless networking get enterprise-level security for peace of mind; plus wireless HD screen mirroring with Miracast; display Chromebook, iOS®, Android™, Mac® and PC screens<sup>2</sup>
- Simultaneously display and control multiple device screens wirelessly share content from up to four devices<sup>3</sup>, including Chromebooks
- Split Screen<sup>4</sup> feature simultaneously project two images (video or still) from different sources side-by-side up to 280"
- Remarkable sharpness and detail 15,000:1 contrast ratio for added clarity
- Versatile connectivity 2x HDMI® supports multiple high-definition A/V devices, with MHL® support<sup>5</sup>
- Manage your projector and send announcements remotely easy network connectivity; software included

## What's In The Box:

---

- PowerLite 975W Projector
- remote control
- batteries
- power cable
- computer cable (VGA)
- CD with User Guide Link
- warranty card
- Quick Setup Sheet

---

## Specifications



## Specifications Projector:

---

Projection System:  
3LCD, 3-chip technology

Projection Method:  
Front/rear/wall mount

Driving Method:  
Poly-silicon TFT Active Matrix

Pixel Number:  
1,024,000 dots (1280 x 800) x 3

Color Brightness - Color Light Output:  
3,600 lumens

**White Brightness - White Light Output:**

3,600 lumens

**Aspect Ratio:**

16:10

**Native Resolution:**

1280 x 800 (WXGA)

**Supported Maximum Transferred Resolution:**

1920 x 1080 (1080p)

**Resize:**

(640 x 480), (800 x 600), (1280 x 1024), (1400 x 1050)

**Lamp Type:**

250 W UHE

**Lamp Life:**

Up to 10,000 hours (Bright Mode)\*

**Throw Ratio Range:**

1.38 (Zoom: Wide) – 2.24 (Zoom: Tele)

**Size - projected distance:**

29" – 280" (6.85 – 8.45 m) (Zoom: Wide)

**Keystone Correction:**

Vertical: ±30 degrees

**USB Plug 'n Play:**

Projector is compatible with PC and Mac computers

**Contrast Ratio:**

Up to 15,000:1

**Color Reproduction:**

Up to 1.07 billion colors

**General:**

---

**Weight:**

9.7 lb (4.4 kg)

**Security:**

Kensington-style lock provision

**Operating Temperature:**

0 – 7,500 ft elevation: 41 °F to 104 °F (5 °C to 40 °C)

Over – 7,500 ft elevation: 41 °F to 95 °F (5 °C to 35 °C)

**Power:**

---

**Power Supply Voltage:**

100 – 240 V AC ±10%, 50/60 Hz

**Power Consumption:**

- 334 W (Normal Mode)
- 2.4 W Standby (Communication On)
- 0.21 W Standby (Communication Off)

**Projection Lens:**

---

**Type:**

Optical Zoom (Manual)/Focus (Manual)

**F-number:**

1.51 – 1.99

**Focal Length:**

18.2 – 29.2 mm

Zoom Ratio:  
1 – 1.6

## Remote Control:

---

Features:  
Brightness, Contrast, Tint, Saturation, Sharpness, Input Signal, Sync, Tracking, Position, Color Temperature, Volume

Operating Distance:  
Front/rear: 26.2 ft (8 m)

Operating Angle:  
Right/left:  $\pm 45$  degrees, Upper/lower: +45 to -15 degrees

## Projector Dimensions:

---

Including feet:  
14.8" x 11.4" x 4.5" (W x D x H)

Excluding feet and lens:  
14.8" x 11.4" x 3.9" (W x D x H)

## Projector Details:

---

Input Signal:  
Auto, RGB, and Component

### Interfaces:

- Wireless LAN Port 802.11 b/g/n (module included)
- 2x HDMI (1x MHL)
- Computer: 1x D-sub 15 pin
- Video: 1x RCA
- Audio-in: 2x Mini Stereo
- Audio-in: 1x RCA (L&R)
- Network: 1x RJ-45
- Mbps Serial: 1x RS-232c
- Monitor Out: 1x D-sub 15 pin
- USB (Type A)
- USB (Type B)
- Audio-out: 1x Mini stereo

Speaker:  
16 W (mono)

Fan Noise:  
29 dB (Normal Mode)